


IN THE CLAIMS:

The claims listed below replace all claim versions previously submitted.

1. (Currently Amended) An organophotoreceptor comprising an electrically conductive substrate and a photoconductive element on the electrically conductive substrate, the photoconductive element comprising:

(a) a charge transport material having the formula



where Y<sub>1</sub> and Y<sub>2</sub> comprise, each independently, a carbazolyl group;

X<sub>1</sub> and X<sub>2</sub>, each independently, have the formula -(CH<sub>2</sub>)<sub>m</sub>-, where m is an integer between 0 and 20, inclusive, and one or more of the methylene groups is optionally replaced by O, S, C=O, O=S=O, a heterocyclic group, an aromatic group, urethane, urea, an ester group, an amide group, an NR<sub>3</sub> group, or a CR<sub>5</sub>R<sub>6</sub> group where R<sub>3</sub>, R<sub>5</sub>, and R<sub>6</sub> are, independently hydroxyl, thiol, carboxyl, an amino group, an alkyl group, an alkenyl group, a heteroc group, or an aromatic group, wherein X<sub>1</sub> is bonded to the nitrogen of the carbazolyl group in Y<sub>1</sub>, and X<sub>2</sub> is bonded to the nitrogen of the carbazolyl group in Y<sub>2</sub>;

E<sub>1</sub> and E<sub>2</sub> comprise, each independently, an epoxy group; and


Z is a linking group comprising a bond, a -(CR<sub>5</sub>=CR<sub>6</sub>-)<sub>n</sub>- group, a -CR<sub>7</sub>=N- group, or an aromatic group, where R<sub>5</sub>, R<sub>6</sub>, and R<sub>7</sub> are, each independently, H, an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group, and n is an integer between 1 and 10, inclusive; and

(b) a charge generating compound.

2. (Original) An organophotoreceptor according to claim 1 wherein Z is a bond.

3. (Original) An organophotoreceptor according to claim 1 wherein X<sub>1</sub> and X<sub>2</sub> are, each independently, a methylene group.

4. (Original) An organophotoreceptor according to claim 1 wherein  $E_1$  and  $E_2$  are, each independently, an oxiranyl ring.
5. (Previously Presented) An organophotoreceptor according to claim 1 wherein the charge transport material is selected from the group consisting of the following formula:




where  $R_8$  and  $R_9$  are, each independently, H, a halogen, an alkoxy group, or an alkyl group.

6. (Original) An organophotoreceptor according to claim 1 wherein the photoconductive element further comprises a second charge transport material.
7. (Original) An organophotoreceptor according to claim 6 wherein the second charge transport material comprises an electron transport compound.
8. (Original) An organophotoreceptor according to claim 1 wherein the photoconductive element further comprises a binder.
9. (Currently Amended) An electrophotographic imaging apparatus comprising:
- (a) a light imaging component; and
  - (b) an organophotoreceptor oriented to receive light from the light imaging component,

the organophotoreceptor comprising an electrically conductive substrate and a photoconductive element on the electrically conductive substrate, the photoconductive element comprising:

(i) a charge transport material having the formula



where  $Y_1$  and  $Y_2$  comprise, each independently, a carbazolyl group;

$X_1$  and  $X_2$ , each independently, have the formula  $-(CH_2)_m-$ , where  $m$  is an integer between 0 and 20, inclusive, and one or more of the methylene groups is optionally replaced by 0, S, C=O, O=S=O, a heterocyclic group, an aromatic group, urethane, urea, an ester group, an amide group, an  $NR_3$  group, or a  $CR_5R_6$  group where  $R_3$ ,  $R_5$ , and  $R_6$  are, independently, H, hydroxyl, thiol, carboxyl, an amino group, an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group, wherein  $X_1$  is bonded to the nitrogen of the carbazolyl group in  $Y_1$ , and  $X_2$  is bonded to the nitrogen of the carbazolyl group in  $Y_2$ ;

$E_1$  and  $E_2$  comprise, each independently, an epoxy group; and

$Z$  is a linking group comprising a bond, a  $-(CR_5=CR_6-)_n-$  group, a  $-CR_7=N-$  group, or an aromatic group, where  $R_5$ ,  $R_6$ , and  $R_7$  are, each independently, H, an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group, and  $n$  is an integer between 1 and 10, inclusive; and


(ii) a charge generating compound.

10. (Original) An electrophotographic imaging apparatus according to claim 9 wherein  $Z$  is a bond.

11. (Original) An electrophotographic imaging apparatus according to claim 9 wherein  $X_1$  and  $X_2$  are, each independently, a methylene group.

12. (Original) An electrophotographic imaging apparatus according to claim 9 wherein  $E_1$  and  $E_2$  are, each independently, an oxiranyl ring.

13. (Previously Presented) An electrophotographic imaging apparatus according to claim 9 wherein the charge transport material is selected from the group consisting of the following formula:



where R<sub>8</sub> and R<sub>9</sub> are, each independently, H, a halogen, an alkoxy group, or an alkyl group.

14. (Original) An electrophotographic imaging apparatus according to claim 9 wherein the photoconductive element further comprises a second charge transport material.

15. (Original) An electrophotographic imaging apparatus according to claim 14 wherein second charge transport material comprises an electron transport compound.

16. (Original) An electrophotographic imaging apparatus according to claim 9 further comprising a liquid toner dispenser.

17. – 41. (Canceled)